

lupino



KUSCH+CO



Characterised by an organic design language and sporty charms – this armchair reflects the dynamics of our time. Fresh, agile and somewhat cheeky. Offering a high level of individualisation through a fascinating number of options. Seat shell available in two heights, either with low or high armrests. Several distinct frame variations and multi-coloured surfaces.



Content

Variations	10
Product data	13
Materials	17
Fire Prevention, quality, sustainability	18



Design by Norbert Geelen

After having completed his training as industrial designer at the University of Essen, he started freelancing at the Italian Studio Matteo Thun in Milan. Together with his partner Robert Kilders, he founded the design studio bert&bert in 1997. Since 2005, Norbert Geelen feels at home both in his German office in Straelen and in his Milan studio. He has specialised in designing upmarket lifestyle products and furniture.









Variations

Lupino armchair metal four-legged frame

Somewhat out of the ordinary. Unlike most other four-legged frames where the rear legs protrude backwards in a wider angle, the Lupino frame is shaped almost symmetrically. The positive outcome: truly extraordinary elegant looks.



Lupino Sessel metal sled base

With a seeming weightlessness, the seat shell seems to be floating above the sled base frame made of trapezoidal-bent, slender round tubular steel.



Possible options for all variations

- Backrest available in two heights
- Low or high armrests
- Separate upholstered seat cushion, removable as option
- Seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell
- Black Edition with metal legs in textured powder coating jet black (BL RAL 9005)
- Black Edition with wooden legs, stained black SS10

Lupino armchair / stool aluminium base

Minimalist design at its finest. The four prongs of the base reach upwards, leaving more space underneath. The seat shell is swivelling, offering maximum comfort through the incorporated gas spring. Additionally available with a Relax seat inclination – seat height 43 cm. On request, the seat shell is also height-adjustable from 42 cm to 54 cm or from 43 cm to 55 cm with a rocking mechanism. The line-up includes a practical stool featuring the same aluminium base, however with a flat seat instead of a seat shell. Suited either as stand-alone seat or as footrest. Both swivelling and height adjustable.



Lupino armchair wooden four-legged frame

Next to its appealing design language, this variation excels in versatility. The wooden frame is seamlessly attached to the seat shell. A detail that highlights its coziness.



Variations

Lupino armchair metal four-legged frame



Low armrests

LUPINO ARMCHAIR 4L

High armrests

LUPINO ARMCHAIR 4L HAR



Low armrests

LUPINO ARMCHAIR 4L HB

High armrests

LUPINO ARMCHAIR 4L HB HAR

Lupino Sessel metal sled base



Low armrests

LUPINO ARMCHAIR CFS

High armrests

LUPINO ARMCHAIR CFS HAR



Low armrests

LUPINO ARMCHAIR CFS HB

High armrests

LUPINO ARMCHAIR CFS HB HAR

Lupino armchair / stool aluminium base



Low armrests

LUPINO ARMCHAIR SWIVEL

High armrests

LUPINO ARMCHAIR SWIVEL HAR



Low armrests

LUPINO ARMCHAIR SWIVEL HB

High armrests

LUPINO ARMCHAIR SWIVEL HB HAR

Stool

LUPINO LEG REST

Lupino armchair wooden four-legged frame



Low armrests

LUPINO ARMCHAIR 4L LGW

High armrests

LUPINO ARMCHAIR 4L LGW HAR



Low armrests

LUPINO ARMCHAIR 4L LGW HB

High armrests


LUPINO ARMCHAIR 4L LGW HB HAR

Product data

Lupino armchair metal four-legged frame


Accessories

- Upholstery with piping (only in the seat shell's fabric material and colour)
- Upholstered seat cushion in a different fabric colour than the seat shell
- Optional removable upholstered seat cushion
- Optional seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell
- Removable glides, available as plastic glides, plastic glides with felt or protect glides



Weight: 10.5² kg/11.0³ kg

² low armrests
³ high armrests



Weight: 12.0² kg/12.5³ kg

² low armrests
³ high armrests




¹ The DIN seat height was determined acc. to DIN EN 1335-1, i.e. the seat height measured by means of a measuring device at the position of the ischial tuberosity (sitting bones) after having placed a load of 50 kg on the half width of the seat.

Lupino Sessel metal sled base


Accessories

- Upholstery with piping (only in the seat shell's fabric material and colour)
- Upholstered seat cushion in a different fabric colour than the seat shell
- Optional removable upholstered seat cushion
- Optional seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell
- Plastic glides
- Plastic glides with felt



Weight: 11.5² kg/12.0³ kg

² low armrests
³ high armrests



Weight: 13.0² kg/13.5³ kg

² low armrests
³ high armrests




Product data

Lupino armchair / stool aluminium base

Accessories

- Upholstery with piping (only in the seat shell's fabric material and colour)
- Upholstered seat cushion in a different fabric colour than the seat shell
- Optional removable upholstered seat cushion
- Optional seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell
- Comfort gas action
- Relax version – shell tilted back (seat height 43 cm)
- Seat height adjustment in range from 42 cm to 54 cm
- Seat height adjustment in range from 43 cm to 55 cm, with rocking mechanism
- Plastic glides
- Plastic glides nonskid
- Plastic glides with felt
- Plastic castors for soft floors (only for armchairs with seat height adjustment)
- Plastic castors for hard floors (only for armchairs with seat height adjustment)


Swivelling



Weight: 11.5² kg / 12.0³ kg

² low arms
³ high arms

Swivelling



Weight: 13.0² kg / 13.5³ kg

² low arms
³ high arms



¹ The DIN seat height was determined acc. to DIN EN 1335-1, i.e. the seat height measured by means of a measuring device at the position of the ischial tuberosity (sitting bones) after having placed a load of 50 kg on the half width of the seat.

⁴ Standard seat inclination

⁵ Relax seat inclination


⁶ with rocking mechanism

Dimensions in cm

Lupino armchair / stool aluminium base




Swivelling/height adjustable



Weight: 12.0² kg/12.5³ kg

² low arms
³ high arms


Swivelling/height adjustable



Weight: 13.5² kg/14.0³ kg

² low armrests
³ high armrests

Swivelling/height adjustable



Weight: 8.0 kg





Product data

Lupino armchair wooden four-legged frame


Accessories

- Upholstery with piping (only in the seat shell's fabric material and colour)
- Upholstered seat cushion in a different fabric colour than the seat shell
- Optional removable upholstered seat cushion
- Optional seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell
- Plastic glides
- Plastic glides with felt
- Metal glides



Weight: 10.0² kg / 10.5³ kg

² low arms
³ high arms



Weight: 11.5² kg / 12.0³ kg

² low arms
³ high arms

¹ The DIN seat height was determined acc. to DIN EN 1335-1, i.e. the seat height measured by means of a measuring device at the position of the ischial tuberosity (sitting bones) after having placed a load of 50 kg on the half width of the seat.

Materials

Lupino

Seat shell armchair

- Entirely upholstered, with upholstered seat cushion
- Optional removable upholstered seat cushion
- Optional seat upholstered, integrated with shell (no separate seat cushion, not with upholstery with piping), finish in the colour of shell

Seat stool

- Entirely upholstered

Upholstery

- Standard foam
- Optional available with upholstery with flame retardant foam
- Optional available with upholstery with low flammability foam (B1)

Metal frame

- Powder coated, powder-coated with antibacterial surface coating, chromed or satin chromed steel frame (four-legged frame, sled base)
- Aluminium base powder-coated or polished
- Aluminium column chromed or powder-coated
- For powder-coated base in BK RAL 9005 jet black (pearl structure) colour, column or gas action and mechanism cover in black colour, for the other colour of base, column or gas action finish chrome, mechanism cover finish polished aluminium

Wooden frame

- Natural beech or stained
- Natural oak



Fire Prevention, quality, sustainability

Excerpt

Fire Prevention

Depending on the environment, contract seating has to be able to fulfil very specific requirements. Interior designers and planners sometimes have to clear difficult hurdles: such as exacting fire prevention regulations. Kusch+Co has worked out individual solutions:

Wooden parts

As standard, wooden parts are protected by a UV curing, environmentally harmless, water-based lacquer meeting all the requirements of “low flammability” acc. to DIN EN 13501 B s2 d0.

Upholstery

The upholstery is optionally available with either flame retardant foam or low flammability foam (B1). If the low flammability foam (B1) is combined with the fabrics Cura, Valencia™ B1, Xtreme, Silvertex® B1 or skai Parotega NF, the upholstery is on par with the Kusch+Co Fire Prevention concept and meets four life-saving objectives:

- is self-extinguishing,
- reduces the smoke development,
- prevents an incipient fire from spreading out,
- does not turn into an additional ignition source.

Test reports in compliance with national and international standards document the laboratory fire tests conducted on different series finished with a wide variety of materials.

With regard to the upholstery, e.g. with leather, artificial leather as well as many textile fabrics, or to our unupholstered variations featuring a plywood, laminated or plastic seat shell, most of our series meet the following standards:

- Germany: DIN 66084 P-a
- France: NF D 60-013
- Great Britain: BS 5852 Crib 5
- Italy: UNI 9176
- Europe: EN 1021 part 1/2

Please contact us if you wish to receive the test reports.

Please contact us to receive further information.

Quality

Our environmental and quality management systems are certified acc. to DIN EN ISO 14001:2015 and to DIN EN ISO 9001:2015. External audits as well as our in-house laboratory safeguard our quality level.

All variations of series Lupino meet the requirements with regard to stability, static and dynamic load as well as strength and durability in compliance with the current European Directives, standards and regulations.

On top of this, we test most of our contract seating with higher loads and cycles. On request, we conduct individual tests acc. to the customer's specifications.

We are certified in compliance with DIN EN ISO 9001:2015. In our own laboratory, we test our products before their market launch whether they comply with the normative requirements applicable to contract seating, task chairs, and tables, and issue a Declaration of Conformity.

We happily make these Declarations of Conformity as well as our brochure “Mission Statement Quality” providing detailed information on our test procedures available to you – please contact us.



Sustainability

Kusch+Co products stand for long life cycles and optimum recyclability. From the first design drafts of a new product, we take all environmental-relevant components and production processes into consideration, ranging from the materials selection and the design all the way to the manufacturing processes which also contribute towards our sustainable energy balance.



LOVE & ☕
COFFEE













09/2022 EN Subject to technical modifications / colour variations

Kusch+Co GmbH
P.O. Box 1151
59965 Hallenberg
Germany

T +49 2984 300-0
welcome@kusch.com
kusch.com